






# SEHPA-STAND PROFİLLERİ




ST-2094 / 0,840 kg/mt




ST-2095 / 0,567 kg/mt




ST-2163 / 0,697 kg/mt




ST-2333 / 0,566 kg/mt




ST-2334 / 0,540 kg/mt




ST-2880 / 0,594 kg/mt




ST-317 / 0,430 kg/mt




ST-192 / 0,352 kg/mt




ST-200 / 0,437 kg/mt




ST-2557 / 0,393 kg/mt




ST-4612 / 0,445 kg/mt




ST-2882 / 0,780 kg/mt




ST-4613 / 0,710 kg/mt




ST-312 / 0,577 kg/mt




ST-2588 / 1,666 kg/mt




ST-2697 / 1,504 kg/mt




ST-2777 / 1,210 kg/mt




ST-311 / 0,733 kg/mt




ST-2472 / 1,361 kg/mt




ST-4614 / 0,902 kg/mt




ST-3230 / 1,166 kg/mt




ST-313 / 0,399 kg/mt



ST-2881 / 0,578 kg/mt




ST-2879 / 0,554 kg/mt




ST-3053 / 0,524 kg/mt




# SEHPA-STAND PROFİLLERİ



ST-4611 / 0,351 kg/mt




ST-2556 / 0,427 kg/mt




ST-4629 / 0,428 kg/mt




ST-315 / 0,370 kg/mt




ST-316 / 0,489 kg/mt




ST-121 / 0,334 kg/mt




ST-139 / 0,391 kg/mt




ST-134 / 0,409 kg/mt




ST-99 / 0,464 kg/mt




ST-4307 / 1,024 kg/mt




ST-4934 / 0,718 kg/mt




ST-2473 / 0,837 kg/mt




ST-2474 / 1,050 kg/mt




ST-4899 / 1,649 kg/mt




ST-4167 / 0,596 kg/mt




ST-4168 / 0,765 kg/mt



ST-4873 / 1,872 kg/mt




ST-4874 / 1,898 kg/mt




ST-2475 / 1,896 kg/mt



# SEHPA-STAND PROFİLLERİ




ST-3861 / 3,778 kg/mt




ST-4496 / 2,167 kg/mt


## RAY PROFİLLERİ




ST-4657 / 0,287 kg/mt  
SÜRME KUYRUKLU E PROFİLİ




ST-177 / 0,327 kg/mt  
SÜRME E PROFİLİ



ST-5091 / 0,269 kg/mt  
SEHPA H PROFİLİ



ST-1269 / 0,340 kg/mt  
SÜRME RAY PROFİLİ



ST-155 / 0,372 kg/mt  
SÜRME H PROFİLİ